

Handling Boundary Constraints for Numerical Optimization by Particle Swarm Flying in Periodic Search Space

Wen-Jun Zhang

Institute of Microelectronics,
Tsinghua University,
Beijing 100084, P. R. China
Email: zwj@tsinghua.edu.cn

Xiao-Feng Xie

Institute of Microelectronics,
Tsinghua University,
Beijing 100084, P. R. China
Email: xiexf@ieec.org

De-Chun Bi

Department of Environmental Engineering,
Liaoning University of Petroleum
& Chemical Technology
Fushun, Liaoning, 113008, P. R. China

Abstract- The *Periodic* mode is analyzed together with two conventional boundary handling modes for particle swarm. By providing an infinite space that comprises periodic copies of original search space, it avoids possible disorganizing of particle swarm that is induced by the undesired mutations at the boundary. The results on benchmark functions show that particle swarm with *Periodic* mode is capable of improving the search performance significantly, by compared with that of conventional modes and other algorithms.

I. INTRODUCTION

The numerical optimization problems (NOP) can be defined as finding $\vec{x} \in S \subseteq \mathbb{R}^D$ such that

$$\begin{cases} f(\vec{x}) = \min\{f(\vec{y}); \vec{y} \in S\}, \\ g_j(\vec{x}) \leq 0, \text{ for } j \in [1, m] \end{cases} \quad (1)$$

where $\vec{x} = (x_1, \dots, x_d, \dots, x_D)$ ($1 \leq d \leq D$, $d \in \mathbb{Z}$), and $x_d \in [l_d, u_d]$, l_d and u_d are lower and upper values of the boundary constraints, respectively. f and g_j are functions on S ; S is a D -dimensional space defined as a Cartesian product of domains of variables x_d 's. The set of points, which satisfying all the constraint functions g_j , is denoted as feasible space (S_F).

Particle swarm optimization (PSO) [6, 11] is a novel stochastic algorithm inspired by social behavior of swarms. Each agent, call *particle*, flies in a D -dimensional space S according to the historical experiences of its own and its colleagues. The location of the i th ($1 \leq i \leq N$, $i \in \mathbb{Z}$) particle is represented as $\vec{x}_i = (x_{i1}, \dots, x_{id}, \dots, x_{iD})$. The best previous location of the i th particle is recorded and represented as $\vec{p}_i = (p_{i1}, \dots, p_{id}, \dots, p_{iD})$, which is also called *pbest*. The index of the best *pbest* among all the particles is represented by the symbol g . The location \vec{p}_g is also called *gbest*. The velocity for the i th particle is represented as $\vec{v}_i = (v_{i1}, \dots, v_{id}, \dots, v_{iD})$. At each time step, the i th particle is manipulated according to the following equations for its d th dimension [12]:

$$\begin{aligned} v_{id} &= w \cdot v_{id} + c_1 \cdot U_{\mathbb{R}}() \cdot (p_{id} - x_{id}) + c_2 \cdot U_{\mathbb{R}}() \cdot (p_{gd} - x_{id}) \\ x_{id} &= x_{id} + v_{id} \end{aligned} \quad (2)$$

where w is inertia weight, c_1 and c_2 are acceleration constants, $U_{\mathbb{R}}()$ are random real values between 0 and 1.

The particle swarm is trying to perform as a self-organizing system with extraordinarily flexibility [14]. A particle "surfs" it on waves [1, 13], which \vec{v} and \vec{x} are similar to kinetic and potential energy, respectively; and \vec{p}_g serves as a quasi-gravity center for the swarm, especially at the end of the process.

To solving NOP, two issues should be handled: a) constraint functions and b) boundary constraints.

The constraint handling methods [2-5, 7-10] are employed for constructing the fitness landscape $F(\vec{x})$ in the S . To avoiding the laborious and often troublesome setting of the penalty coefficients in the methods based on penalty functions [9], and without requiring a starting point in S_F [5], the handling methods that following Deb's criteria [2] is often applied [7, 15]: a) any feasible solution is preferred to any infeasible solution; b) among two feasible solutions, the one having better objective function value is preferred; c) among two infeasible solutions, the one having smaller constraint violation is preferred.

However, to satisfying boundary constraints, the conventional handling methods [7, 14], which are keeping the individuals lying inside the S , seem not always suitable for the efficient flying of particle swarm.

The purpose of this paper is to study a robust boundary constraints handling method for particle swarm. In the next section, the drawbacks of conventional handling methods, which keep the particles flying inside the S , are discussed. Then in section 3, the *Periodic* handling mode is realized by providing an infinite space for the flying of particle swarm, which is composed of periodic copies of original S . In section 4, experimental results in different boundary handling methods and comparison with existing results by different algorithms [3, 4, 10] are reported and discussed. In the last section, we conclude the paper.

II. CONVENTIONAL BOUNDARY HANDLING

For the current swarm, it has a possible flying domain in next generation according to equations (2), as the space S_m shown in Fig. 1. Its center is closed to the location of the \vec{p}_g , which is a gravity center of swarm.

The *gbest* is always changing its location during the evolution, which leads the swarm to moving. It means that some particles may exceed the boundary, i.e. $S_m \cap \bar{S} \neq \Phi$

$\bar{x} \notin S$. However, $F(\bar{x})=F(\bar{z})$, which $\bar{z} \in S$ is the mapping point of \bar{x} :

$$\tilde{M}_p(x_d \rightarrow z_d): \begin{cases} z_d = u_d - (l_d - x_d)\%s_d & \text{IF } x_d < l_d \\ z_d = l_d + (x_d - u_d)\%s_d & \text{IF } x_d > u_d \\ z_d = x_d & \text{IF } x_d \in [l_d, u_d] \end{cases} \quad (5)$$

where ‘%’ is the modulus operator, $s_d = |u_d - l_d|$ is the parameter range of the d th dimension. The ultimate optimized point \bar{x}^* is calculated from \tilde{M}_p ($gbest \rightarrow \bar{x}^*$), which is satisfying the boundary constraints.

In *Periodic* mode, for $\forall \bar{x}$, there exists an *effective* copy (which is called $S^{(E)}$ as in Fig. 2) of S , which the center point is \bar{x} , and for the d th dimension, the lower and upper boundary values are $x_{id} - s_d/2$ and $x_{id} + s_d/2$, respectively. For each point \bar{x} in $S^{(E)}$, it has a one-to-one mapping point that locating in the original S . To searching in $S^{(E)}$ is almost equivalent to searching in S .

Comparing with conventional boundary constraints handling methods, the *Periodic* mode have some advantages to enhance robustness of the particle swarm.

Firstly, to eliminate the undesired mutations caused by boundary constraints, the ratio $R(S_m, S) = (S_m \cap \bar{S})/S_m$ that outside the S should be minimized, which is achieved when the center of S_m (often near the $gbest$) is located near or at the center of S . It is possible for *Periodic* mode, since the searching space can be $S^{(E)}$ of the $gbest$.

Secondly, the performance of an algorithm is improved if the variation distance between the current $gbest$ and the global optimum point is shorter, especially when the $gbest$ is temporarily trapped into a local optimum at a certain stage of evolution. In fact, for d th dimension, the *maximum possible length* is decreased from s_d (in the original S for conventional handling methods) to $s_d/2$ (in the $S^{(E)}$ of $gbest$ for *Periodic* mode), as shown in Fig. 2.

Of course, it should be avoid that the domain of S_m being much larger than of $S^{(E)}$ of the $gbest$ in some dimensions, i.e. $s_{m,d} = k \cdot s_d$ and k is much larger than 1. Since at the situation, although the particle swarm still maintains the self-organization dynamics, it has less efficiency due to the many redundant states in $s_{m,d}$. Fortunately, it can be avoid as the particle swarm is convergent [1, 13], by using the following parameter settings: a) *constriction factor* [1]; and b) a small w during [14] or at least after the early stage [11] of evolution.

IV. RESULTS AND DISCUSSION

In order to study the performance of the boundary handling methods for particle swarm, eight constrained numerical problems by Michalewicz et al. [8] and four engineering design examples [10] have been tested, which were compared with recently published results[3, 4, 10].

A. Michalewicz's examples [8]

Table 1 gives the global optimum (type and value F^*) and the published results by EAs [3, 4] for Michalewicz's examples with inequality constraints [8]. Here for G_1, G_4 , their global optimums are located at the boundary; for G_2, G_6, G_7 , their global optimums are closed to the boundary.

TABLE 1. GLOBAL OPTIMUM AND EXISTING RESULTS

F	Type	F^*	ES [4]	GA [3]
G_1	Min	-15	-15.000	-15.000
G_2	Max	0.80362	0.56	0.7901
G_4	Min	-30665.54	-30665.5	-30665.2
G_6	Min	-6961.814	-6961.81	-6961.8
G_7	Min	24.306	24.6162	26.580
G_8	Max	0.095825	0.095825	0.095825
G_9	Min	680.630	680.635	680.72
G_{10}	Min	7049.248	7193.11	7627.89

The main parameters of $(\mu+\lambda)$ -ES [4] includes: $\mu=100$, $\lambda=300$, the maximum number of generations $T=5E3$, its total evaluation times $T_E \approx \lambda \cdot T=1.5E6$.

The main parameters of GA [3] includes: the population size $N=70$, $T=2E4$, $T_E=N \cdot T=1.4E6$.

Two particle swarm versions were tested: a) LPS [11]: with a linear decreasing inertia weight; b) DEPS [15]: hybrid with a differential evolution (DE) operator [12].

The parameters of LPS includes: a linearly decreasing w which from 0.9 to 0.4 [11], $c_1=c_2=2$, for d th dimension, the maximum velocity $v_{max,d}=(u_d-l_d)/2$.

The parameters of DEPS includes: number of particles N , $c_1=c_2=2.05$ in constriction factor [1], and for the hybrid DE operator [15], $CR=0.9$.

For both particle swarm versions, four cases were tested, as in table 2, where $T=2E3$. For all the cases, $T_E=N \cdot T$ are less than the cases of GA [3] and ES [4]. For each example, 100 runs were executed.

TABLE 2. SETTINGS FOR TEST CASES OF LPS AND DEPS

Cases	#B	#R	#P1	#P2
Mode	Boundary	Random	Periodic	Periodic
N	14	14	14	70
T_E	28000	28000	28000	140000

TABLE 3. SUMMARY OF MEAN RESULTS BY THE CASES OF LPS

F	LPS#B (r_f)	LPS#R (r_f)	LPS#P1	LPS#P2
G_1	-4.998	-1.936 (79)	-14.9140	-14.9961
G_2	0.50052	0.43463	0.71921	0.77867
G_4	-30549.87	-30517.0	-30665.5	-30665.54
G_6	-6961.8 (96)	-4592.9	-6961.7	-6961.814
G_7	914.790 (11)	38.511	26.047	25.161
G_8	0.095825 (2)	0.095825	0.095825	0.095825
G_9	121114.09	680.76	680.75	680.66
G_{10}	12398 (21)	8285.6	7756.6	7562.6

Table 3 gives the summary of mean best results F_B by the cases of LPS. The values r_f in the parenthesis gives the

ratio of runs that are failed in entering S_F (if there have no parenthesis, it means no failed runs) in percentage, and only those runs that are succeeded in entering S_F are counted for calculating the F_B .

For LPS#B, LPS#R, and LPS#P1, the only difference is their boundary handling modes. It can be found that LPS#B got worse results (and a large amount of runs are even failed in entering S_F , especially for G_6 , 96% runs are failed), since many runs for *Boundary* mode were premature convergence at the boundary of S during the early evolution stage. For LPS#R, it could not get satisfied results in give T generations due to the unnecessarily M_R operations in *Random* mode, when the global optimum of a problem is located at or closed to the boundary (except for G_8, G_9, G_{10}), especially for G_1 , 79% runs are failed in entering S_F . For LPS#P1, it performs better than LPS#B and LPS#R in almost all examples.

LPS#P2 gets better results than LPS#P1 when N is increased from 14 to 70. By comparison it with the existing results by EAs in Table 2, it can be seen that LPS#P2 get worse results than ES [4], which with one better (G_2), three almost same (G_4, G_6, G_8) and four worse (G_1, G_7, G_9, G_{10}) examples, while get better results than GA [3], which with four better (G_4, G_7, G_9, G_{10}), two almost same (G_6, G_8) and two worse (G_1, G_2) examples.

Table 4 gives the summary of mean best results F_B by the cases of DEPS. The *Boundary* mode and *Random* mode of DEPS are better than that of LPS in most examples through the complementary searching role by the hybrid DE operator. Moreover, the DEPS#P1 still performs well than the DEPS#B and the DEPS#R. By comparison the DEPS#P2 with the existing results in the Table 2, it can be seen that DEPS#P2 get better results than ES [4] and GA [3] in almost all examples.

TABLE 4. MEAN RESULTS BY THE CASES OF DEPS

F_i	DEPS#B (r_i)	DEPS#R	DEPS#P1	DEPS#P2
G_1	-6.259	-12.248	-14.271	-15.000
G_2	0.36326	0.40280	0.48664	0.64330
G_4	-30646.43	-30662.20	-30665.54	-30665.54
G_6	-6961.8 (74)	-6931.271	-6961.814	-6961.814
G_7	209.300 (2)	26.358	24.897	24.306
G_8	0.095691	0.095425	0.095558	0.095825
G_9	20819.319	680.690	680.690	680.630
G_{10}	8378.4 (4)	7506.5	7343.5	7049.5

Here the GA [3] performs the best for G_2 in all cases of algorithm settings. However, if the T of LPS#P2 is increased to $1E4$, i.e. T_E is increased to $7E5$, then F_B of G_2 was 0.79298, which is better than GA [3].

B. Engineering design examples [10]

Table 5 gives the global minimum value F^* and existing results with number of evaluations by Ray et al. [10] for engineering design examples. Here the global

optimum of SR is located at the boundary; for WB, TS , their global optimums are closed to the boundary.

Table 6 lists the results calculated by LPS in different handling modes, where $N=40, T=500$, then $T_E=2E4$. For each example, 500 runs were executed. Here the solutions of *Boundary* mode also are often trapped into the local minimums at the boundary. For *Random* mode, it found worse results for the cases WB, TS and SR , which the global minimum are located at or closed to the boundary. Moreover, the *Periodic* mode can find better results than Ray's [10] in less evaluation times.

TABLE 5. EXISTING RESULTS FOR ENGINEERING PROBLEMS

Design problems	F^*	Results [10]	T_E [10]
Welded Beam (WB)	2.38113	2.96070	64862
Speed Reducer (SR)	2994.471	2998.027	110235
Three-Bar Truss (TB)	263.8958	263.8989	36113
Tension Spring (TS)	0.012666	0.012923	25167

TABLE 6. MEAN RESULTS BY LPS IN DIFFERENT MODES

Mode	WB	SR	TB	TS
Boundary	3.35408	3060.910	263.89646	0.013129
Random	2.56145	3100.733	263.89649	0.015372
Periodic	2.40403	2994.497	263.89654	0.012922

V. CONCLUSION

This paper has analyzed a *Periodic* boundary handling mode, which is employed for improving the robustness of particle swarm. The method does not introduce any additional parameters. By providing an infinite space, which is composed of periodic copies of original S . it eliminates possible disorganizing for the particle swarm that caused by the unnecessary mutations at the boundary of S as in conventional handling methods. Besides, it provides an effective copy of S for the flying of dynamic particle swarm, which the maximum possible variation length by *Periodic* mode is also decreased to half of conventional handling methods for each dimension.

The performance of particle swarm with *Periodic* mode on benchmark functions was compared with that of conventional handling modes, include *Boundary* and *Random* mode, which produced better results, especially for the cases with local optimums that closed to or located at the boundary of S . It was also compared with the existing results of different algorithms, which provided better results in less evaluation times.

REFERENCES

- [1] Clerc M, Kennedy J. The particle swarm - explosion, stability, and convergence in a multidimensional complex space. IEEE Trans. Evolutionary Computation, 2002, 6(1): 58-73
- [2] Deb K. An efficient constraint handling method for genetic algorithms. Computer Methods in Applied Mechanics and Engineering, 2000, 186(2-4): 311-338

- [3] Farmani R, Wright J A. Self-adaptive fitness formulation for constrained optimization. *IEEE Trans. on Evolutionary Computation*, 2003, 7(5): 445-455
- [4] Hamida S B, Schoenauer M. ASCHEA: new results using adaptive segregational constraint handling. *Congress on Evolutionary Computation*, Hawaii, USA, 2002: 884-889
- [5] Hu X H, Eberhart R C. Solving constrained nonlinear optimization problems with particle swarm optimization. *World Multiconference on Systemics, cybernetics and Informatics*, Orlando, USA, 2002: 203-206
- [6] Kennedy J, Eberhart R C. Particle swarm optimization. *IEEE Int. Conf. on Neural Networks*, Perth, Australia, 1995: 1942-1948
- [7] Lampinen J. A constraint handling approach for the differential evolution algorithm. *Congress on Evolutionary Computation*, Hawaii, USA, 2002: 1468-1473
- [8] Michalewicz Z, Schoenauer M. Evolutionary algorithms for constrained parameter optimization problems. *Evolutionary Computation*. 1996, 4 (1): 1-32
- [9] Parsopoulos K E, Vrahatis M N. Particle swarm optimization method for constrained optimization problems. In Sincak, P., Vascak, J., Kvasnicka, V., Pospichal, J. (Eds.): *Intelligent Technologies - Theory and Applications: New Trends in Intelligent Technologies*, IOS Press, 2002: 214-220
- [10] Ray T, Liew K M. Society and civilization: an optimization algorithm based on the simulation of social behavior. *IEEE Trans. Evolutionary Computation* 2003, 7(4): 386-396
- [11] Shi Y H, Eberhart R C. Empirical study of particle swarm optimization. *Congress on Evolutionary Computation*, Washington DC, USA, 1999: 1945-1950
- [12] Storn R, Price K V. Differential evolution - a simple and efficient heuristic for global optimization over continuous spaces. *Journal of Global Optimization*, 1997, 11: 341-359
- [13] Trelea I C. The particle swarm optimization algorithm: convergence analysis and parameter selection. *Information Processing Letters*, 2003, 85(6): 317-325
- [14] Xie X F, Zhang W J, Yang Z L. A dissipative particle swarm optimization. *Congress on Evolutionary Computation*, Hawaii, USA, 2002: 1456-1461
- [15] Zhang W J, Xie X F. DEPSO: hybrid particle swarm with differential evolution operator. *IEEE Int. Conf. on Systems, Man and Cybernetics*, Washington DC, USA, 2003: 3816-3821